

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



quodmaster
qUS2.6.3

Loewen Windows

Box 2260
Steinbach, MB
Canada R0A 2A0

Created: qUS2.6.3 02/10/2003
Created By:

Long Quote
Date: 02/10/2003

Customer Information	Project Information
Account #: 000008	Project #: 000283
Customer: Thermocore	Tag Name: DELTA - GRYZA
Address:	P.O. #:
City/State:	Ship Via:
Contact:	Ship To:
Phone:	City, State, Zip:
Fax:	Shipping Terms:
Email:	Payment Terms:
I/S Sales Rep:	O/S Sales Rep:

Project Comments:

Loewen Windows Proposes To Furnish The Products Below - Errors and Omissions Excepted

Item: 0001	Location: study dining	Qty: 2
Comments:		

Exterior View

Frame Size = 82 11/16" W x 59 1/16" H
RO Size = 83 15/32" W x 59 27/32" H
Cubic Feet = 43.41



Specifications

standard CA3 2115 LFR (2100 x 1500)
Interior: Clear Wood
Brick Mould: None
Jamb: 5 1/16" (129)
Glazing: Clear Heat Smart Plus System 1
" c/w Standard Concealed Locking System "
Bronze Standard Handle ()
Bronze Hardware (BRN) (MIR)
Aluminum Bar 1/2" (12mm) (AMS)
Bronze Fiberglass screen(s) (BZS)
Flange (IDH)
WMC HP1

Pricing for Quantity of 2

standard CA3 2115 LFR Heat Smart Plus System 1, White Metal Clad Exterior
5 1/16" Jamb
(2) CA1-0715 Standard Concealed Locking System

\$	1,466.00
\$	81.00
\$	0.02
	1547.02
	3094.04

Internal Project: 283	000008	Mon Feb 10 2003	Page: 1 Of 8
-----------------------	--------	-----------------	--------------

TOTAL 975.00

for Jamb EX.

B

02/10/03 MON 09:21 FAX 847 361 2222

LOEWEN WINDOWS


0002

Item: 0001A Location: garage Qty: 1

Comments:

Exterior View

Frame Size = 82 11/16" W x 50 1/16" H
 RO Size = 83 15/32" W x 59 27/32" H
 Cubic Feet = 21.70



Specifications

standard CA3 2115 FFF (2100 x 1500)
 Interior: Clear Wood
 Brick Mould: None
 Jamb: 5 1/16" (129)
 Glazing: Clear Heat Smart Plus System 1
 Aluminum Bar 1/2" (12mm) (AMS)
 Flange (IDH)
 WMC HP1

Pricing for Quantity of 1

standard CA3 2115 FFF Heat Smart Plus System 1, White Metal Clad Exterior
 5 1/16" Jamb

(2) CA1-0715 Deduct for Inoperable Unit

\$ 1,460.00

\$ 81.00

\$ 278.00-

1269.00

1269.00

Item: 0001B


Location: bed 3

Qty: 1

Comments:

Exterior View

Frame Size = 82 11/16" W x 55 1/8" H
 RO Size = 83 15/32" W x 65 29/32" H
 Cubic Feet = 20.25



Specifications

standard CA3 2114 LFR (2100 x 1400)
 Interior: Clear Wood
 Brick Mould: None
 Jamb: 5 1/16" (129)
 Glazing: Clear Heat Smart Plus System 1
 "w Standard Concealed Locking System"
 Bronze Standard Handle (I)
 Bronze Hardware (BRN) (MIR)
 Aluminum Bar 1/2" (12mm) (AMS)
 Bronze Fiberglass screen(s) (BZS)
 Flange (IDH)
 WMC HP1

Pricing for Quantity of 1

standard CA3 2114 LFR Heat Smart Plus System 1, White Metal Clad Exterior
 5 1/16" Jamb

(2) CA1-0714 Standard Concealed Locking System

\$ 1,402.00

\$ 80.00

\$ 0.02

1482.02

1482.02

02/10/03 MON 09:22 FAX 847 362 2222

LOEWEN WINDOWS

0003

Furnish The Products Below - Errors and Omissions Excepted

Item: 0001C

Location: master bath

Qty: 1

Comments:

Exterior View

Frame Size = 82 11/16" W x 55 1/8" H
 RO Size = 83 16/32" W x 55 29/32" H
 Cubic Feet = 20.25



Specifications

standard CA3 2114 LFR (2100 x 1400)
 Interior: Clear Wood
 Brick Mould: None
 Jamb: 5 1/16" (129)
 Glazing: Clear Heat Smart Plus System 1
 Tempered Glass
 ** c/w Standard Concealed Locking System **
 Bronze Standard Handle (I)
 Bronze Hardware (BRN) (MIR)
 Aluminum Bar 1/2" (12mm) (AMS)
 Bronze Fiberglass screen(s) (BZS)
 Flange (IDH)
 WMC HP1

Pricing for Quantity of 1

standard CA3 2114 LFR Heat Smart Plus System 1, White Metal Clad Exterior
 5 1/16" Jamb

(3) CA1-0714 Tempered Glass

(2) CA1-0714 Standard Concealed Locking System

\$ 1,402.00

\$ 80.00

\$ 336.00

\$ 0.02

1818.02

1818.02

Item: 0002

Location: foyer

Qty: 1

Comments:

Exterior View

Frame Size = 70 7/8" W x 55 1/8" H
 RO Size = 71 21/32" W x 55 29/32" H
 Cubic Feet = 17.36



Specifications

standard CA1 1814 F (1800 x 1400)
 Interior: Clear Wood
 Brick Mould: None
 Jamb: 5 1/16" (129)
 Glazing: Clear Heat Smart Plus System 1
 Aluminum Bar 1/2" (12mm) (AMS)
 Flange (IDH)
 WMC HP1

Pricing for Quantity of 1

standard CA1 1814 F Heat Smart Plus System 1, White Metal Clad Exterior
 5 1/16" Jamb

\$ 830.00

\$ 74.00

904.00

904.00

02/10/03 MON 09:22 FAX 847 382 2222

LOEWEN WINDOWS

004

Proposed To Furnish The Products Below - Errors and Omissions Excepted

Item: 0003

Location: powder laundry

Qty: 2

Exterior View

Frame Size = 27 9/16" W x 47 1/8" H
 RO Size = 28 11/32" W x 48 1/32" H
 Cubic Feet = 11.57



Specifications

standard CA1 0712 L (700 x 1200)
 Interior: Clear Wood
 Brick Mould: None
 Jamb: 5 1/16" (129)
 Glazing: Clear Heat Smart Plus System 1
 " c/w Standard Concealed Locking System "
 Bronze Standard Handle (I)
 Bronze Hardware (BRN) (MIR)
 Aluminum Bar 1/2" (12mm) (AMS)
 Bronze Fiberglass screen(s) (BZS)
 Flange (IDH)
 WMC HP1

Pricing for Quantity of 2

standard CA1 0712 L Heat Smart Plus System 1, White Metal Clad Exterior
 5 1/16" Jamb

(1) CA1-0712 Standard Concealed Locking System

\$ 467.00
 \$ 52.00
 \$ 0.01

519.01 1038.02


Item: 0004

Location: kitchen

Qty: 1

Exterior View

Frame Size = 47 1/4" W x 39 3/8" H
 RO Size = 48 1/32" W x 40 5/32" H
 Cubic Feet = 8.27



Specifications

standard CA2 1210 LR (1200 x 1000)
 Interior: Clear Wood
 Brick Mould: None
 Jamb: 5 1/16" (129)
 Glazing: Clear Heat Smart Plus System 1
 " c/w Standard Concealed Locking System "
 Bronze Standard Handle (I)
 Bronze Hardware (BRN) (MIR)
 Aluminum Bar 1/2" (12mm) (AMS)
 Bronze Fiberglass screen(s) (BZS)
 Flange (IDH)
 WMC HP1

Pricing for Quantity of 1

standard CA2 1210 LR Heat Smart Plus System 1, White Metal Clad Exterior
 5 1/16" Jamb

(2) CA1-0610 Standard Concealed Locking System

\$ 800.00
 \$ 57.00
 \$ 0.02

857.02 857.02

Informal Project 283

000008

Mon Feb 10 2003

Page 4 Of 8

B

02/10/03 MON 08:22 FAX 847 382 2222

LOEWEN WINDOWS

005

Furnish the Products Below - Errors and Omissions Excepted

Item: 0004A

Location: family room

Qty: 1

Exterior View

Frame Size = 82 11/16" W x 59 1/16" H
 RO Size = 83 15/32" W x 59 27/32" H
 Cubic Feet = 21.70



Specifications

standard CA3 2115 LFR (2100 x 1500)
 Interior: Clear Wood
 Brick Mould: None
 Jamb: 5 1/16" (129)
 Glazing: Clear Heat Smart Plus System 1
 ** c/w Standard Concealed Locking System **
 Bronze Standard Handle (I)
 Bronze Hardware (BRN) (MIR)
 Aluminum Bar 1/2" (12mm) (AMS)
 Bronze Fiberglass screen(s) (BZS)
 Flange (IDH)
 WMC HP1

Pricing for Quantity of 1

standard CA3 2115 LFR Heat Smart Plus System 1, White Metal Clad Exterior
 5 1/16" Jamb

(2) CA1-0715 Standard Concealed Locking System

\$ 1,468.00
 \$ 51.00
 \$ 0.02

1547.02

1547.02

Item: 0004B

Location: master suite

Qty: 1

Exterior View

Frame Size = 82 11/16" W x 55 1/8" H
 RO Size = 83 15/32" W x 55 29/32" H
 Cubic Feet = 20.25



Specifications

standard CA3 2114 LFR (2100 x 1400)
 Interior: Clear Wood
 Brick Mould: None
 Jamb: 5 1/16" (129)
 Glazing: Clear Heat Smart Plus System 1
 ** c/w Standard Concealed Locking System **
 Bronze Standard Handle (I)
 Bronze Hardware (BRN) (MIR)
 Aluminum Bar 1/2" (12mm) (AMS)
 Bronze Fiberglass screen(s) (BZS)
 Flange (IDH)
 WMC HP1

Pricing for Quantity of 1

standard CA3 2114 LFR Heat Smart Plus System 1, White Metal Clad Exterior
 5 1/16" Jamb

(2) CA1-0714 Standard Concealed Locking System

\$ 1,402.00
 \$ 80.00
 \$ 0.02

1482.02

1482.02

Internal Project:

203

000006

Mon Feb 10 2003

Page 5 Of 8

Furnish The Products Below - Errors and Omissions Excepted

Item: 0005

Location: bedroom 2

Qty: 1

Exterior View

Frame Size = 31 1/2" W x 55 1/8" H
 RO Size = 32 9/32" W x 55 29/32" H
 Cubic Feet = 7.72



Specifications

standard CA1 0814 L (800 x 1400)
 Interior: Clear Wood
 Brick Mould: None
 Jamb: 5 1/16" (129)
 Glazing: Clear Heat Smart Plus System 1
 ** c/w Standard Concealed Locking System **
 Bronze Standard Handle (I)
 Bronze Hardware (BRN) (MIR)
 Aluminum Bar 1/2" (12mm) (AMS)
 Bronze Fiberglass screen(s) (BZS)
 Flange (IDH)
 WMC HP1

Pricing for Quantity of 1

standard CA1 0814 L Heat Smart Plus System 1, White Metal Clad Exterior
 5 1/16" Jamb

(1) CA1-0814 Standard Concealed Locking System

\$ 571.00

\$ 57.00

\$ 0.01

628.01

628.01

Item: 0006


Location: bonus room

Qty: 1

Comments:

Exterior View

Frame Size = 59 1/16" W x 55 1/8" H
 RO Size = 59 27/32" W x 55 29/32" H
 Cubic Feet = 14.47



Specifications

standard CA2 1514 LR (1600 x 1400)
 Interior: Clear Wood
 Brick Mould: None
 Jamb: 5 1/16" (129)
 Glazing: Clear Heat Smart Plus System 1
 ** c/w Standard Concealed Locking System **
 Bronze Standard Handle (I)
 Bronze Hardware (BRN) (MIR)
 Aluminum Bar 1/2" (12mm) (AMS)
 Bronze Fiberglass screen(s) (BZS)
 Flange (IDH)
 WMC HP1

Pricing for Quantity of 1

standard CA2 1514 LR Heat Smart Plus System 1, White Metal Clad Exterior
 5 1/16" Jamb

(2) CA1-7514 Standard Concealed Locking System

\$ 1,142.00

\$ 70.00

\$ 0.02

1212.02

1212.02

02/10/03 MON 08:23 FAX 647 36 022

LOEWEN WINDOWS

007

Loewen Windows Proposes To Furnish The Products Below - Errors and Omissions Excepted


Item: 0007

Location: basement

Qty: 1

Exterior View

Frame Size = 41 3/8" W x 58 7/32" H
 RO Size = 42 5/32" W x 57" H
 Cubic Feet = 10.34



Specifications

standard DH1 3624 (1051 x 1428)
 Interior: Clear Wood
 Brick Mould: None
 Jamb: 5 1/16" (12R)
 Upper Glazing: Clear Heat Smart Plus System 1
 Lower Glazing: Clear Heat Smart Plus System 1
 Tan Jambliner (TAN)
 Bronze Hardware (BRN)
 Aluminum Bar 1/2" (12mm) (AMS)
 White Fiberglass screen(s) (WHS)
 Flange (IDH)
 WMC HP1

Pricing for Quantity of 1

standard DH1 3624 Heat Smart Plus System 1, White Metal Clad Exterior
 5 1/16" Jamb
 c/w Fiberglass Sill

\$ 493.00
 \$ 66.00
 \$ 0.00

559.00 559.00

Item: 0008


Location:

Qty: 1

Comments:

Exterior View

Frame Size = 70 7/8" W x 98 7/16" H
 RO Size = 71 21/32" W x 99 7/32" H
 Cubic Feet = 31.00



Specifications

Combination Unit: standard FP2 1821 OF//standard FP12 1804
 FF
 Osm: 1800 X 2500
 Jamb: 5 1/16" (12R)
 Brick Mould: None
 SHOP MULL.

Pricing for Quantity of 1

COMPOSITE. 5 1/16" Jamb

\$ 118.00
 118.00

02/10/03 MON 08:23 FAX 847 368 2222

LOEWEN WINDOWS

0008

Item: 0008 Sub-Unit 1

Comments :

Frame Size = 70 7/8" W x 82 11/16" H

standard FP2 1821 OF (1800 x 2100)
 Interior : Clear Wood
 Interior Panel: Edge glued Fir
 Brick Mould : None
 Jamb : 5 1/16" (129)
 Glazing: Clear Heat Smart Plus System 1
 Tempered Glass
 Clear Anodized Sill
 Standard Handle (Bronze Ext./Brown. Int.)
 Aluminum Bar 1/2" (12mm) (AMS)
 White Fiberglass screen(s) (WHS)
 Flange (SDF)
 WMC HP1

standard FP2 1821 OF Heat Smart Plus System 1, White Metal Clad Exterior
 (2) FP1 0921 Laminated Edge Glued Interior

\$ 2,136.00
 \$ 0.02
 2136.02

Item: 0008 Sub-Unit 2

Comments :

Frame Size = 70 7/8" W x 16 3/4" H

standard FPT2 1804 FF (1800 x 400)
 Interior : Clear Wood
 Interior Panel: Edge glued Fir
 Brick Mould : None
 Jamb : 5 1/16" (129)
 Glazing: Clear Heat Smart Plus System 1
 Aluminum Bar 1/2" (12mm) (AMS)
 Flange (SDF)
 WMC HP1

standard FPT2 1804 FF Heat Smart Plus System 1, White Metal Clad Exterior
 (2) FPT1-0904 Laminated Edge Glued Interior

\$ 895.00
 \$ 0.02
 895.02

3147.04 3147.04

Total Cubic Feet on this order :	264.40	Sub Total \$	19037.23
SUBMITTED BY :			0.00
ACCEPTED BY :			0.00
DATE :		Total Tax \$	0.00
		GRAND TOTAL (US) \$	19037.23

This quote is valid for 30 days.

FRT TO 250.00
 TOBSITE

Internal Project: 283

000008

Mon Feb 10 2003

Page: 8 Of 8

TOTAL 11,535.00